


**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Amikacin



NARMS-EB 2003
Veterinary Isolates

Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)


Amoxicillin/Clavulanic Acid



NARMS-EB 2003
Veterinary Isolates

Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)

Ampicillin




↓ Breakpoint

**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Cefoxitin



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Ceftiofur



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Ceftriaxone



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Cephalothin



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Chloramphenicol



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Ciprofloxacin



NARMS-EB 2003
Veterinary Isolates

Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)


Gentamicin



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Kanamycin



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**


Nalidixic Acid



**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**

Streptomycin




↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)

Sulfamethoxazole




↓ Breakpoint

NARMS-EB 2003
Veterinary Isolates

Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)

Tetracycline




↓ Breakpoint

**NARMS-EB 2003
Veterinary Isolates**

**Fig. 32 Minimum Inhibitory Concentrations by Antimicrobial Agent
Major Serotypes from Turkey (Slaughter)**

Trimethoprim/Sulfamethoxazole



↓ Breakpoint